

Pro Series Non-IEEE 1284 Parallel Switchbox Cable - 15m - F3D111b50

You just purchased a new switchbox, but faulty wiring is causing your switchbox to send error filled data to your printer. With this Belkin Pro Series switchbox cable all data transmissions will be pure, clean and error-free. The Pro Series 25-Conductor, Straight-through Cable Assembly is most commonly used in applications with manual and automatic switchboxes. Featuring our exclusive wiring design and cable technology that guarantees optimal performance.



©2000 Belkin Corporation

Características del producto:

- State-of-the-art wiring design ensures 100% compatibility with all devices 100% of the time.
- Gold plated copper contacts provide maximum conductivity and keep data loss to a minimum.
- Oversized ergonomic thumbscrews make installation a breeze.
- The Belkin Lifetime Warranty.
- Flextec®; PVC rubberized cable jacket is extremely flexible for use in tight areas.
- Molded strain relief and PVC overmolding to ensure a lifetime of error-free data transmission.
- Low capacitance impedance matched 28 AWG stranded tinned copper conductors are individually insulated in polypropylene to minimize cross talk, ensuring high-speed, error-free transmission.
- Ground indents provide excellent conductivity and retention with mating conductors.
- PVC pre-mold encapsulates individual conductors to ensure electrical isolation and relieve stress.
- Aluminum undermold shielding helps to meet FCC requirements on EMI/RFI interference.
- Double shielded braid to ensure compliance with FCC requirements and reducing EMI/RFI.
- 28 AWG stranded tinned copper PVC insulated conductors for excellent signal transmission.

Belkin Ltd
Ruisden
Reino Unido

Belkin BV
Schiphol-Rijk
Países Bajos

Belkin GmbH
Munich
Alemania

Belkin SAS
Biliacourt
Francia

Belkin Nordic
Stockholm
Suecia