

G Wireless Router

The G Wireless Router is perfect for setting up a simple wireless network that has the range to easily cover a small office or apartment. Its speeds are ideal for handling basic networking applications such as sharing your high-speed Internet connection with all your computers, surfing the Web, emailing, and instant messaging-all while relaxing on the couch in your home.

Connecting the G Wireless Router to your cable or DSL modem lets you share your broadband Internet account with all your home computers. Now you can quickly and easily share documents, surf the Web, chat with friends, and email. Our advanced security protects both your wireless and wired computers from hackers and intruders.

The G Wireless Router is the central connection point of your wireless network. Position your Belkin Router in between your cable/DSL modem and your computer to start sharing your broadband Internet access.

For better wireless performance, use the Belkin G Wireless Router with a G Wireless USB Adapter (F5D7050), Notebook (F5D7010) and Desktop Cards (F5D7000) when connecting your client computers. (client adapters sold separately)



Benefits

- 4 Ethernet Ports for Wired Connections
- Supports Wi-Fi Protected Setup for simple wireless security setup
- **Easy setup Assistant and troubleshooting with Network Status Display:**
- The Network Status Display shows the status of your network. The icons represent each component of your network and show you whether or not each device is working properly.
- Free 24/7 technical Support (local rates apply)

Technical Specifications

Security	WPA™, WPA2™, Wi-Fi Protected Setup™
Range	Up to 400ft
LEDs	Power, Wireless, Wired, Modem, Internet

VPN Support	PPTP, IPSec pass-through
Security	WEP (64-128bit), WPA-PSK (TKIP), WPA2-PSK (AES) with WPS Push Button
Range	300ft (100m)
Maximum Users	253 of which 16 wireless
Link Rate	54 Mbps
VPN Support	PPTP and IPSec pass-through
LEDs	Power, Security (WPS), Wireless, Internet, Modem, LAN 1-4
Supporting Software	Windows 2000, XP, Vista and Mac OS 10.4 or 10.5 for Setup Assistant; any OS with TCP/IP support for normal operation
Reset Process	Hold reset button for 10 seconds when router is powered - button is on the left hand side
Bandwidth	20 MHz & 20/40 MHz auto
Humidity	Operating: 10 ~ 85% non-condensing; Storing: 5 ~ 95% non-condensing
ISP Protocols Supported	Dynamic, Static, PPPoE, PPTP, Telstra Bigpond
Quality Of Service	802.11e/WMM
IP Sharing Method	Network Address Translation (NAT)
Supported Languages	English, German, French, Spanish, Dutch, Italian, Simplified Chinese, Traditional Chinese, Japanese, Korean
User Interface	HTML Browser based User Interface (http://192.168.2.1)
Compliant Standard	IEEE 802.11b/802.11g (WiFi Certified)
Firewall	NAT (Network Address Translation), SPI (Stateful Packet Inspection)
Hardware Interface Type	5xRJ45 10/100Mbps (4 LAN, 1 WAN)
Radio Frequency Band	ISM Band: 2400-2483.5 MHz (2.4 GHz)
Radio Frequency Band1	Europe: 1-13

[Check out other Belkin products in this range...](#)



F5D7000ed



F5D7010ed



F5D7050ed



F5D7634uk4A

Product Code

F5D7234uk4

Product Name

G Wireless Router

